

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification<sup>6</sup>:

H04B 10/22

A2

(11) International Publication Number:

WO 99/56417

(43) International Publication Date:

4 November 1999 (04.11.99)

(21) International Application Number: PCT/SE99/00617

(22) International Filing Date: 19 April 1999 (19.04.99)

(30) Priority Data:

9801443-4

24 April 1998 (24.04.98)

SE


(71) Applicant: TELEFON AB LM ERICSSON [SE/SE]; S-126 25  
Stockholm (SE).(72) Inventor: HEDBERG, Anders; Iliongränd 237, S-224 72 Lund  
(SE).(74) Agents: STRÖM, Tore et al.; Ström & Gulliksson AB, P.O.  
Box 4188, S-203 13 Malmö (SE).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

*Without international search report and to be republished upon receipt of that report.*

(54) Title: A DEVICE AND METHOD FOR WIRELESS DATA TRANSMISSION



(57) Abstract

A device in such an appliance as a mobile telephone (2), a lap top computer (1) or the like for wireless data transmission by means of IR light between such appliances comprises means for transmitting IR light and means for receiving IR light. Mainly for reducing the space requirement for the device the means for transmitting and receiving are combined into one LED with a single lens (8), a so called transceiver.

NOT AVAILABLE COPY

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon	KR	Republic of Korea	PL	Poland		
CN	China	KZ	Kazakhstan	PT	Portugal		
CU	Cuba	LC	Saint Lucia	RO	Romania		
CZ	Czech Republic	LI	Liechtenstein	RU	Russian Federation		
DE	Germany	LK	Sri Lanka	SD	Sudan		
DK	Denmark	LR	Liberia	SE	Sweden		
EE	Estonia			SG	Singapore		

## A DEVICE AND METHOD FOR WIRELESS DATA TRANSMISSION

5

### Field of the Invention

The present invention relates to a device in such an appliance as a mobile telephone, a lap top computer or the like for wireless data transmission by means of IR light between such appliances, the device comprising means for transmitting IR light and means for receiving IR light. It also relates to a method for such wireless data transmission..

### Background of the Invention

15 The normal purposes for a mobile telephone and for a lap top computer, respectively, are well known. Data created in a portable lap top computer may have to be transmitted to a stationary computer or computer network. This is possible not only by means of the traditional floppy disk but also more recently via a mobile telephone system.

Conventionally, the mobile telephone can be connected to the lap top computer by means of a special connecting cord. More recently, however, it has become possible to transmit data between a mobile telephone and a lap top computer wireless by means of IR light. The mobile telephone and the lap top computer are each provided with a device with separate means for transmitting IR light (in the form of an LED) and for receiving such light (in the form of a photodiode). These two means are arranged in a common device, which is intended for mounting on an internal PCB of the appliance and is provided with two lenses, one for each means. The device is also provided with electronic circuitry for the handling of transmitted and received signals.

35

The main drawback with such a presently used device is that it occupies a certain volume in an environment where space saving is essential.

#### **The Invention**

5 A device which decreases this drawback is according to the invention attained in that one single LED is utilized as the means both for transmitting and receiving IR light. The LED hereby acts as a so called transceiver.

Besides the space saving advantage it is also easier  
10 to mount a device according to the invention, and the transmission security can be enhanced by the use of a slightly larger lens. It is also obvious that a device according to the invention can be cost saving in relation to a traditional device.

#### **The Drawing**

The invention will be further described below under reference to the accompanying drawing, in which

Fig 1 is a perspective illustration of data transmission between a mobile telephone and a lap top computer,

20 Fig 2 illustrates a known device for transmitting and receiving IR light, and

Fig 3 illustrates a transceiver device according to the invention for transmitting and receiving IR light.

#### **Detailed Description of Embodiments**

25 Fig 1 is a schematic illustration of a lap top computer 1 and a mobile telephone 2. Conventionally, data submitted to and from the telephone 2 via the ordinary mobile telephone system from and to an office computer, respectively, is transmitted to the lap top computer over a  
30 connecting cord. More recently, however, IR technique has been utilized for the same purpose, as is illustrated in Fig 1.

IR light is created, transmitted and received by suitable means described below and conveniently arranged  
35 behind a window 1A in the lap top computer 1 and a similar

window (not shown) in the telephone 2. The data transfer by means of an IR beam of light can be governed by an internationally accepted IrDA standard (IrDA=Infrared Data Association), setting up certain criteria aiming at low cost  
5 implementation, low power requirements, directed, point-to-point connectivity, and high noise immunity.

Among features to be noticed are that the transmission can be performed over a distance of say 1 m and that the two devices need not be aligned with any precision.  
10 sion.

The established IR link is bi-directional, but transmission and receiving in the form of pulses with a nominal minimum of 1.6 microseconds cannot occur concurrently. The data transmission rate may for example be in the region of  
15 115 kbits/second, and the peak wavelength can be 0.85-0.90  $\mu\text{m}$ .

A known device for establishing an IR link is shown in Fig 2. Such a device 3 is to be mounted behind said window in a mobile telephone or a lap top computer, preferably on a PCB (Printed Circuit Board) therein. The device  
20 contains a light transmitting LED (Light Emitting Diode) for IR light behind a first lens 4 as well as a light receiving photodiode behind a second lens 5. In the base portion 6 of the device electronic circuitry for handling  
25 the transmitted and received signals may be housed.

A device 7 according to the invention for the same purpose as the device 3 of Fig 2 is shown in Fig 3. This device only contains one single LED behind a lens 8. This LED has the dual purpose of both transmitting and receiving  
30 IR light. The use of the LED for receiving IR light is based on the knowledge that light transmitted to an LED creates a clearly detectable current from the LED. This LED accordingly acts as a transceiver. The base portion 9 of the device 7 contains electronic circuitry for the handling  
35 of the transmitted and received signals.

The size of the device 7 according to the invention may in principle be half as compared to the the prior art device according to Fig 2 without sacrificing any function, which is very advantageous in the design of mobile tele-  
5 phones and lap top computers, where a space saving is of outmost importance. Also, the new device may be less energy consuming than the conventional one, which is also very positive.

## CLAIMS

1. A device in such an appliance as a mobile telephone (2), a lap top computer (1) or the like for wireless data transmission by means of IR light between such appliances, the device (7) comprising means for transmitting IR light and means for receiving IR light, characterized in that one single LED is utilized as the means both for transmitting and receiving IR light.

2. A device according to claim 1, characterized in that the device (7) besides the LED with its single lens (8) contains electronic circuitry for the handling of the transmitted and received signals.

3. A method for wireless data transmission to and from such appliances as a mobile telephone (2), a lap top computer (1) or the like by means of IR light, characterized in that IR light is transmitted from and received by one single LED.




Fig. 1




Fig. 2




Fig. 3



## INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 99/00617

## A. CLASSIFICATION OF SUBJECT MATTER

IPC6: H04B 10/22

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC6: H04B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

SE,DK,FI,NO classes as above

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5470154 A (J. NISHIZAWA ET AL), 28 November 1995 (28.11.95), column 4, line 51 - line 55 --	1-3
A	US 5459336 A (T.KATO), 17 October 1995 (17.10.95), column 2, line 62 - column 3, line 10 --	1-3
A	US 5307297 A (S. IGUCHI ET AL), 26 April 1994 (26.04.94), see the whole document --	1-3
A	US 4829168 A (T. NAKAHARA), 9 May 1989 (09.05.89), column 2, line 61 - column 3, line 13 --	1-3



Further documents are listed in the continuation of Box C.



See patent family annex.

## \* Special categories of cited documents

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "I" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

"I" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

26 October 1999

Date of mailing of the international search report

05 - 11 - 1999

Name and mailing address of the ISA/

Swedish Patent Office  
Box 5055, S-102 42 STOCKHOLM

Facsimile No. +46 8 666 02 86

Authorized officer

Stig Edhborg/mj

Telephone No. +46 8 782 25 00

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/SE 99/00617

## C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4460259 A (J.E. GREIVENKAMP JR. ET AL), 17 July 1984 (17.07.84), column 3, line 28 - line 42, figure 3  --	1-3
A	GB 2298752 A (NEC CORPORATION), 11 Sept 1996 (11.09.96), see the whole document  -- -----	1-3

## INTERNATIONAL SEARCH REPORT

Information on patent family members

28/09/99

International application No.

PCT/SE 99/00617

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5470154 A	28/11/95	CA 2085612 A DE 69220638 D,T EP 0535252 A,B JP 2863663 B JP 5099846 A WO 9218855 A	19/10/92 16/10/97 07/04/93 03/03/99 23/04/93 29/10/92
US 5459336 A	17/10/95	DE 69306457 D,T EP 0566278 A,B JP 2806146 B JP 5299688 A	03/04/97 20/10/93 30/09/98 12/11/93
US 5307297 A	26/04/94	JP 2730810 B JP 4335467 A	25/03/98 24/11/92
US 4829168 A	09/05/89	JP 62256283 A	07/11/87
US 4460259 A	17/07/84	GB 2122835 A,B HK 8387 A	18/01/84 28/01/87
GB 2298752 A	11/09/96	AU 695083 B AU 4790196 A CA 2170810 A GB 9604791 D JP 8242205 A	06/08/98 19/09/96 07/09/96 00/00/00 17/09/96

BEST AVAILABLE COPY